



THE WEIZMANN SCIENCE PRESS OF ISRAEL

National Council for Research and Development

ISRAEL Journal of BOTANY

Volume 34
1985



מוסד ויצמן לפרסומים במדעי הטבע ובטכנולוגיה, ירושלים
The Weizmann Science Press of Israel

Publishers of the Following Journals

ISRAEL JOURNAL OF BOTANY; ISRAEL JOURNAL OF CHEMISTRY;
ISRAEL JOURNAL OF EARTH SCIENCES; ISRAEL JOURNAL OF MATHEMATICS;
ISRAEL JOURNAL OF TECHNOLOGY; ISRAEL JOURNAL OF ZOOLOGY;
JOURNAL D'ANALYSE MATHÉMATIQUE

(SCIENCE FOR YOUTH) **לדעת מדע לנוער**

(SCIENCE) **ציל עתון מדעי לכל**

Supporting Institutions

THE NATIONAL COUNCIL FOR RESEARCH AND DEVELOPMENT;
BAR-ILAN UNIVERSITY; BEN GURION UNIVERSITY OF THE NEGEV;
TECHNION—ISRAEL INSTITUTE OF TECHNOLOGY; TEL AVIV UNIVERSITY;
THE HEBREW UNIVERSITY OF JERUSALEM; THE WEIZMANN INSTITUTE OF SCIENCE

GENERAL EDITORIAL BOARD

D. Abir
A. Dvoretzky
C. Elata
H. Eyal-Giladi
M. Jammer
J. Jortner
E. Lenz
L. Reinhold

Acting Executive Editor

Esme Gordon

**ISRAEL JOURNAL
OF BOTANY**

Formerly Bulletin of the Research
Council of Israel, Section D

Editorial Board

M. Negbi *Editor-in-Chief*

A. Blum
A. Danin
B. L. Epel
M. Feldman
Margalit Galun
J. Gressel
Chaia C. Heyn
A. Kaplan
N. Roth-Bejerano
D. Shimshi
E. Werker
J. Kigel *Editorial Coordinator*

Subscriptions are to be addressed to the Weizmann Science Press of Israel,
P.O.B. 801, Jerusalem 91007 Israel. Subscription fees per volume:
\$45.00 + \$2.00 postage and handling.

Copyright © 1985 by THE WEIZMANN SCIENCE PRESS OF ISRAEL
Printed December 1985

Typeset by Israel Wellerstein, P.O.B. 4493, Jerusalem and printed by Hemed Press, Jerusalem

INDEX

Baas, P. and M. Gregory. A survey of oil cells in the dicotyledons with comments on their replacement by and joint occurrence with mucilage cells	167
Backhaus, R.A. Rubber formation in plants — A mini-review	283
Beaumont, J., D.F. Cutler, T. Reynolds and J.G. Vaughan. The secretory tissues of aloes and their allies	265
Bones, A. and T.-H. Iversen. Myrosin cells and myrosinase	351
Carde, J.-P. See C. Cheniclet	
Catesson, A.M. and M. Moreau. Secretory activity in vessel contact cells	157
Chaboud, A. See M. Rougier	
Cheniclet, C. and J.-P. Carde. Presence of leucoplasts in secretory cells and of mono-terpenes in the essential oil: A correlative study	219
Christ, P. and E. Schnepf. The nectaries of <i>Cynanchum vincetoxicum</i> (Asclepiadaceae)	79
Côme, D., C. Perino and J. Ralambosoa. Oxygen sensitivity of apple (<i>Pyrus malus</i> L.) embryos in relation to dormancy	17
Cutler, D.F. See J. Beaumont	
Distelbarth, H. and U. Kull. Physiological investigations of leaf mucilages II. The mucilage of <i>Taxus baccata</i> L. and of <i>Thuja occidentalis</i> L.	113
Douglas, T.J. See R. Marginson	
Fineran, B.A. Glandular trichomes in <i>Utricularia</i> : A review of their structure and function	295
Ghera, C.M., E.H. Sattore and M.L. Van Esso. Seasonal patterns of Johnsongrass seed production in different agricultural systems	24
Gregory, M. See P. Baas	
Hadas, A. Water absorption by swelling leguminous seeds as affected by water potential and external mechanical constraints	7
Heide-Jørgensen, H.S. See D.M. Joel	
Heinrich, G. and W. Schultze. Composition and site of biosynthesis of the essential oil in fruits of <i>Phellodendron amurense</i> Rupr. (Rutaceae)	205
Herrera, J. Nectar secretion patterns in southern Spanish Mediterranean scrublands	47
Heslop-Harrison, J. and Y. Heslop-Harrison. The secretory system of the stigma of <i>Oenothera organensis</i> Munz: Some developmental and quantitative features	187
Heslop-Harrison, Y. See J. Heslop-Harrison	
Iversen, T.-H. See A. Bones	
Joel, D.M. and H.S. Heide-Jørgensen. Ultrastructure and development of the pitcher epithelium of <i>Sarracenia</i>	331
Jones, R.L. Protein synthesis and secretion by the barley aleurone: A perspective	377
Karschon, R. and A. Weinstein. Wall flora and vegetation at Qal'at Nimrud, the castle of Banyas	59 59
Knox, R.B. See R. Marginson	
Kristen, U. and J. Lockhausen. The leaf glands of <i>Veronica beccabunga</i> L.: Ultra-structure and a possible pathway of secretion	147
Kull, U. See H. Distelbarth	
Lee, C.W. and R.A. Sherman. Meiosis in jojoba, <i>Simmondsia chinensis</i>	1
Leonard, R.T. See J.W. Oross	
Lockhausen, J. See U. Kristen	

Lüttge, U., W. Stichler and H. Ziegler. Isotopes ratios ($\delta^{13}\text{C}$ and δD) of nectar in comparison to tissues in C_3 and CAM plants	103
Mahlberg, P.G. Trichome morphogenesis on leaves of <i>Cyphomandra betacea</i> Sendt. (Solanaceae)	253
Marginson, R., M. Sedgley, T.J. Douglas and R.B. Knox. Structure and secretion of the extrafloral nectaries of Australian acacias	91
Moreau, M. See A.M. Catesson	
Oross, J.W., R.T. Leonard and W.W. Thomson. Flux rate and a secretion model for salt glands of grasses	69
Perino, C. See D. Côme	
Putievsky, E. See E. Werker	
Ralambosoa, J. See D. Côme	
Ravid, U. See E. Werker	
Reynolds, T. See J. Beaumont	
Rougier, M. and A. Chaboud. Mucilages secreted by roots and their biological function	129
Sattore, E.H. See C.M. Ghera	
Schnepf, E. See P. Christ	
Schultze, W. See G. Heinrich	
Sedgley, M. See R. Marginson	
Sherman, R.A. See C.W. Lee	
Stichler, W. See U. Lüttge	
Thomson, W.W. See J.W. Oross	
Van Esso, M.L. See C.M. Ghera	
Vaughan, J.G. See J. Beaumont	
Weinstein, A. See R. Karschon	
Werker, E., U. Ravid and E. Putievsky. Glandular hair and their secretions in the vegetative and reproductive organs of <i>Salvia sclarea</i> and <i>S. dominica</i>	239
Werker, E., U. Ravid and E. Putievsky. Structure of glandular hairs and identification of the main components of their secreted material in some species of the Labiatae	31
Ziegler, H. See U. Lüttge	

PLANT INDEX

- Abuta*, 175, 179
Abutilon striatum, 103–112
Acacia, 91–102
Acaena, 176, 179
Acanthopanax sessiliflorum, 220
Acetabularia, 205
Achillea millefolium, 220
Adenocarpus telonensis, 53
Adiantum capillus-veneris, 60
Aeluropus litoralis, 76
Agathosma gnidioides, 215
Alectorurus, 266
Aloe, 169, 265–282
A. eru, 103–112
Althaea, 124
Amborella, 173
Anthyllis cytisoides, 53, 56
A. tejedensis, 53, 56
Anthirrhinum majus, 55, 56
Apama, 175
Aptenia cordifolia, 153, 154
Arbutus unedo, 53, 55
Aristolochia, 175
Armeria velutina, 54
Artemisia camphorata, 220
Asarum, 175
Asclepias, 180
A. currasavica, 79, 88, 154
A. subulata, 289
Asparagus aphyllus, 54, 60
Asperula, 177
Asphodeline, 265–282
Asphodelus, 56, 265–282
A. aestivus, 56
A. albus, 56
A. ramosus, 56
Astragalus lusitanicum, 56
Astroloba, 265–282
Atropa baetica, 56
Aulax, 177
Austrobaileya, 173
Avena sterilis, 60
Azospirillum, 139, 142

Ballota hirsuta, 53, 56, 60
B. saxatilis, 60

Batatas, 177
Begonia, 170
Bellevallia flexuosa, 60
Berberis hispanica, 52
Bidens radiata, 22
Borago officinalis, 55
Brachypodium pinnatum, 60
Brasenia schreberi, 147
Brassica, 352, 353, 354
Bromus diandrus, 60
B. tectorum, 60
Bubbia, 172
Bulbine, 265–282
Bulbinella, 266
Bulbinopsis, 266
Bupleurum, 55
Bursera, 176, 179

Cabomba caroliniana, 147
Calamintha sylvatica, 53, 56
Calicotome villosa, 53
Calluna vulgaris, 53
Calycanthus, 174
Cananga, 221, 231
Canella, 173
Cannabis, 253
Capparis spinosa, 55, 60
Carduus argentatus, 60
Carlina lanata, 60
Carrisa, 289
Carum carvi, 220
Cerastium dichotomum, 60
Ceratach officinarum, 60
Ceratocystis ulmi, 158, 163
Cerinth, 153
Chamaealoe, 265–282
Chamaespartium tridentatus, 53
Cheilanthes fragrans, 60
Chondrilla juncea, 60
Chronanthus biflorus, 53
Cicer arietinum, 7–16
Cinnamomum, 167, 171, 174
C. camphora, 171, 179, 221
C. zeylanicum, 168
Cistus, 52
Citrofortunella mitis, 222, 230, 235

Citrus, 136
C. deliciosa, 206, 208, 214, 215
C. sinensis, 221
Clematis cirrhosa, 54
C. flammula, 54, 60
C. vitalba, 54
Cneorum, 176
Convolvulus althaeoides, 55
Coridothymus capitatus, 31–45
Coris monspelianus, 54
Cornus, 153
Coronilla juncea, 54
C. minima, 54
Crataegus aroma, 60
C. monogyna, 56
Crepis palaestina, 60
Crocus chrysanthus, 154
Croton, 176
Cryptomeria japonica, 220
Cucumis melo, 158
Curcuma longa, 221, 231
Cuscuta, 177
Cymbopogon citratus, 221, 231
Cynanchum acutum, 60
C. vincetoxicum, 79–90
Cynoglossum cheirifolium, 55
Cyphomandra betacea, 253–264
Cynodon dactylon, 69–77
Cytisus, 54

Daphne gnidium, 55
D. laureola, 55
Darlingtonia californica, 346
Daucus bicolor, 60
D. carota, 220
Degenaria, 172
Delphinium nelsonii, 51
Dianthus caryophyllus, 158
D. pendulus, 60
Dictamnus albus, 214
Digitalis obscura, 56
Dionaea, 303, 327
D. muscipula, 154
Distichlis, 69
Dorycnium rectum, 54
Drimys, 172
D. lanceolata, 179

Echinospartum boissieri, 54
Echium albicans, 55
Embothrium, 176
Endiandra, 170
Ephedra campylopoda, 60

Eremocitrus, 215
Eremurus, 265–282
Erica, 53, 55
Erinacea anthyllis, 54
Eriostemon, 215
Eucrotonaeae, 176
Euphorbia, 289
Eupomatia, 172
Euxylophora, 176, 179

Fibigia clypeata, 60
Ficus carica, 60
Foeniculum dulce, 220
Fortunella, 228
F. exocarpium, 221
Frangula alnus, 54
Fumana ericoides, 52
F. thymifolia, 52
Fumaria capreolata, 60
Fusarium, 157
F. oxysporum, 158, 163

Gamortega, 174
Gasteria, 265–282
G. huttoniae, 272
Genista, 54
Genlisea, 297
Geranium, 345
G. molle, 60
Gladiolus, 99
G. segetum, 55
Glycine max, 132
G. soja, 132
Gnetum, 283
Gomortega, 174
Gomphocarpus, 88
Grabowskia, 178, 179
Grindelia squarrosa, 220
Gyrocarpus, 175

Halimium atriplicifolium, 60
H. commutatum, 52
H. halimifolium, 53
H. lasianthum, 53
Haworthia, 265–282
Hedera helix, 220
Heliamphora nutans, 346
Helianthemum, 53
Helianthus annuus, 135, 158
H. tuberosus, 220
Helichrysum, 180
H. picardii, 53
H. stoechas, 53

Heracleum eminens, 220
Hernandia, 175
Hevea brasiliensis, 283–289
Hibiscus esculentus, 170
Himantandra, 172
Hippuris, 180
Holocarpa, 177
Hordeum spontaneum, 60, 388, 389
H. vulgare, 377–395
Hortonia, 174
Houttuynia, 175
Hyoscyamus aureus, 60
Hypericum perforatum, 221
Hyssopus officinalis, 220

Iberis amara, 354
Illicium, 173
I. anisatum, 221, 228
Inula viscosa, 181
Ipomea leari, 221
Iris germanica, 221, 228
Isoetes lacustris, 147, 154

Jaborandi, 215
Jasminum fruticans, 54, 56, 60
Juniperus, 124

Kadsura, 173
Kalanchoe daigremontiana, 103–112
K. tubiflora, 109
Kniphofia, 265–282, 278

Lactarius, 283
Lactoris, 174
Lactuca, 289
L. viminea, 60
Lamium moschatum, 60
Laurus, 174
L. nobilis, 60, 224, 231
Lavandula arborea, 52
L. amplexa, 55
L. lanata, 53, 56
L. latifolia, 47–58, 53, 56
L. stoechas, 53
L. viridis, 53
Lepidium sativum, 354
Licania, 176
Linum, 123, 124
Liquidambar styraciflua, 220
Liriodendrum, 172
Lolium multiflorum, 60
Lomatophyllum, 265–282
Lonicera arborea, 52

L. etrusca, 60
L. periclymenum, 47–58
L. splendida, 52
Lithodora fruticosa, 52, 55
Lotus corniculatus, 135
L. creticus, 54, 56
L. tetragonolobus, 131
Lycopersicum esculentum, 220, 224, 231
L. peruvianum, 202

Magnolia, 172, 231
M. graniflora, 169
M. soulangeana, 221
Majorana syriaca, 31–45, 60
Manglietia, 172
Marrubium supinum, 53
M. vulgare, 60
Matricaria, 178
Medicago scutellata, 60
Melia azedarach, 221
Melissa officinalis, 31–45
Melonis, 158, 163
Mentha piperita, 31
Mercurialis annua, 60
Micromeria fruticosa, 31–45
M. nervosa, 60
Minuartia hybrida, 60
Monimia, 174
Moricandia moricandioides, 55
Morina, 177
Muscari comosum, 60
Myrica, 175
Myristica, 171, 173
M. philippinensis, 171
Myrtus communis, 54, 221, 231

Nelumba nucifera, 153
Nepeta grandiflora, 220
Nerium oleander, 52
Nicotiana, 188
N. tabacum, 202
Nomaphila stricta, 147
Nymphoides peltata, 150

Ocimum basilicum, 220
Oenothera drummondii, 194
O. organensis, 187–204
Oldenlandia corymbosa, 21
Opuntia, 124, 180
Origanum virens, 53, 56
O. vulgare, 239
Ornithogalum narbonense, 60
Osyris alba, 55, 60

O. quadripartita, 55

Parietaria judaica, 60

P. lusitanica, 60

Paronychia argentea, 60

Parthenium argentatum, 283–293

P. tomentosum, 289

Pentanisia, 177

Periploca, 88

Persea, 174, 202

Peperomia, 175

Petunia hybrida, 198, 202

Peziza, 283

Phagnalon rupestre, 60

P. saxatile, 53

Pharbitis, 100, 177

Pharbitis nil, 153

Phaseolus vulgaris, 135

Phebalium, 215

Phellodendrum amurense, 205–217

Phialophora, 161

P. asteris, 158, 163

P. cinerescens, 157, 158, 164

Phlomis crinita, 53, 56

P. lychnitis, 53

P. purpurea, 53, 56

Phyalis alkekengi, 220, 224, 231

Phytophthora cinnamomi, 140

Picrodendron, 176

Pimpinella peregrina, 60

Pinguicola, 297

Pinus maritima, 214

P. pinaster, 205, 206

P. pinea, 214

Piper, 175, 231

P. cubeba, 221, 231

Piptatherum miliaceum, 60

Pistacia palaestina, 60

P. lentiscus, 220

Pisum sativum, 7–16, 74

Pittosporum tabira, 220

Plectranthus, 178

Poa bulbosa, 60

Poellnitzia, 267, 279

P. rubriflora, 267, 272, 278

Pogostemon, 178

Polypomphlox, 297

Poncirus, 208, 211

P. trifoliatius, 221

Prasium majus, 60

Pseudo wintera, 172

Psidium guajava, 221, 231

Psoralea bituminosa, 54, 56

Psychotria bacteriophylla, 147, 154

Putoria calabrica, 54, 56

Pyrus bourgaeana, 56

P. malus, 17–23

Quercus calliprinos, 60

Ranunculus asiaticus, 60

Raphanus sativus, 354

Retama monosperma, 54

R. sphaerocarpa, 54

Rhamnus alaternus, 54, 60

R. lycioides, 54

R. palaestina, 60

Rhizobium, 139, 140, 142

Rhus cotinus, 220

Rosmarinus officinalis, 31–45, 47–58, 221

Rosularia libanotica, 60

Roupala, 176

Rubia tenuifolia, 60

Ruscus aculeatus, 54

Ruta chalepensis, 60, 215

R. montana, 221, 228, 231

Salvia alata, 333

S. dominica, 239–252

S. fruticosa, 31–45

S. glutinosa, 31, 33

S. graveolens, 240

S. leucophylla, 332

S. minor, 332

S. officinalis, 31–45, 220, 228

S. pratensis, 31, 33

S. psittacina, 332

S. purpurea, 332–346

S. sclarea, 239–252

Sansevieria, 103–112

Santolina pinnata, 220

S. rosmarinifolia, 53

Sarracenia, 331–349

Sassafras, 174

Saururus, 175

Satureja thymbra, 31–45

Schizandra, 173

Scandix iberica, 60

Scilla peruviana, 56

Sclerophylax, 178

Scrophularia sambucifolia, 56

Sedum pallidum, 60

Silene colorata, 55, 60

Simmondsia chinensis, 1–6

Sinapis alba, 354

S. arvensis, 60

Smilax aspera, 54
Sonchus oleraceus, 60
Sorghum halepense, 24–30
Spartina, 69
Spartium junleum, 54
Sporobolus, 76
Stachys circinata, 53, 56
Stauracanthus, 54
Stellaria media, 60
Stemmadenia, 174, 177
Stramonium, 289
Styrax officinalis, 60
Sympnytum palaestinum, 60

Tamus communis, 60
Taxus baccata, 113–128
Teline, 54
Teucrium, 53, 56
Thuja occidentalis, 113–128
Thymelaea hirsuta, 55
Thymus baeticus, 53
T. capitatus, 31–45, 53
Trachyandra, 265–282
Tragia, 176
Trapa, 180
Trifolium, 202
Tsoongiodendron, 172

Tussilago farfara, 220, 234

Ulex europaeus, 131
U. minor, 54
U. parviflorus, 54
Ulmus campestris, 158
Umbilicus intermedius, 60
Utricularia, 295–330

Valeriana, 177, 180
Venosa, 333
Verbascum, 114, 124, 125
Veronica beccabunga, 147–156
V. cymbalaria, 60
V. hederifolia, 60
Verticillium, 157, 162
V. dahliae, 158, 161, 164
Viburnum tinus, 53, 220
Vicia faba, 7–16, 74
Vinca difformis, 52, 55
Vitex agnus-castus, 220
Voacanga, 177

Xanthoxylum, 215

Zea mays, 130, 132, 134, 140
Zygogynum, 172

SUBJECT INDEX

- aleurone, secretion in, 377–395
- aloesin, 275
- aloin cells, 265–282
- α -amylase, in aleuron; 377–395
- anethole, 226
- anthraquinone, 265–282
- anthrone, glycosides, 265–282
- arabinose, in leaf mucilage, 114–128

- barbaloin, 274
- bisabolene, 226
- bundle sheath, secretory cells, 265–282
- borneol, 40

- CAM plants, nectar composition, 103–112
- camphene, 40
- camphor, 40, 226
- contact cells, xylem, secretion in, 157–167
- carnivorous plants, 295–330, 331–349
- caryophyllene, 40, 226, 249
- caruacrol, 40
- chromones, 275
- chromosomes, in *Simmondsia*, 1–6
- chrysophanol, 275
- cineole, 249
- citronellol, 40
- cubebene, 227
- cuticle,
 - in extrafloral nectaries, 91–102
 - in pitcher epithelium, 331–349
 - in secretory hairs, 31–45
 - in stigma secretion, 187–204
- cymene, 40, 249
- cytochemistry,
 - of leaf gland cells, 147–156
 - of extrafloral nectaries, 91–102
 - of stigma tissues, 187–204

- davanone, 227
- dormancy, O₂ effects in seeds, 17–23

- elemene, 227
- embryo, dormancy, O₂ effects, 17–23
- emodin, 275
- endosperm, in barley, 377–395
- environment, effects on,
 - seed production, 24–30
 - mucilage production, 113–128
- epidermis,
 - gland hairs, 239–252
 - secretory hairs, 31–45
- essential oils,
 - in *Labiatae*, 31–45
 - in *Phellodendron* fruits, 205–218
 - in *Salvia*, 239–252
 - and leucoplasts, 219–238
- Eucalyptol, 40, 226
- eugenol, 226

- farnesene, 227
- flora, wall flora, 59–64
- flower morphology, nectar production, 47–58
- frost resistance, leaf mucilage, 113–128
- fruit, essential oils, *Phellodendron*, 205–218

- galactose, in leaf mucilage, 114–128
- geobotany, wall flora, 59–64
- geraniol, 40, 207, 249
- geranyl acetate, 207, 249
- germacrene, 226
- germination,
 - O₂ effects, 17–23
 - seed swelling, 7–16
- gibberellin, in aleurone, 377–395
- gland cells,
 - in *Acacia* nectaries, 91–102
 - in *Cynanchrum* nectaries, 79–90
 - in *Cyphomandra*, 239–252, 253–264
 - in *Labiatae*, 31–45
 - in *Phellodendron* fruits, 205–217
 - in *Salvia*, 239–252, 253–264
 - in *Sarracenia* pitcher, 331–349
 - in *Utricularia*, 295–330
 - in *Veronica* leaves, 147–156
- glucose, in leaf mucilage, 114–128, 194
- grasses, salt glands, 69–78
- glucosinolates, 352

- hairs, see trichomes
- homonataloin, 276

- leaf,
 - gland cells, in *Veronica*, 147–156
 - mucilages, in *Taxus*, 113–128
 - salt glands, in grasses, 69–78
 - secretory cells, 265–282
 - secretory hairs, 31–45, 239–252
 - water content, mucilages, 113–128
- lectins, in root mucilage, 129–146
- leucoplasts, and monoterpene production, 219–238
- limonene, 40, 207, 226
- linalool, 40, 207, 226, 227, 249
- lipids,
 - in nectar, 79–90, 91–102
 - in stigma secretion, 187–204
- meiosis, in *Simmondsia*, 1–6
- monoterpenes,
 - in essential oils, 219–238
 - in *Labiatae*, 31–45
- morphology, of extrafloral nectaries, 91–102
- mucigel, in roots, 129–146
- mucilage cells, 113–128, 167–186
- mucilage,
 - in leaf glands, 147–156
 - in roots, 129–146
 - in *Taxus* leaves, 113–128
 - in *Utricularia*, 295–330
- muurolene, 227
- myrcene, 40, 207, 226, 227, 249
- myrosin cells, 351–376
- myrosinase, 351–376
- nectar,
 - $\delta^{13}/\delta D$, in CAM plants, 103–112
 - composition, 80–90, 91–102
 - secretion, 47–58
- nectaries
 - in *Cynanchum*, 80–90
 - extrafloral, in *Acacia*, 91–102
- neridol, 227
- nerol, 40, 249
- neryl acetate, 249
- nonanone, 207
- O_2 , effects on seed dormancy, 17–23
- ocimene, 207, 226
- oil cells, 167–186
- phellandrene, 207, 226
- pinene, 40, 207, 226, 249
- pinocamphone, 226
- polysaccharides,
 - in leaf glands, 147–156
 - in root mucilages, 129–146
- proteins,
 - in leaf mucilage, 113–128
 - in stigma secretion, 187–204
 - synthesis, in aleurone, 377–395
- pulegone, 40
- rhamnose, in mucilage, 114–128
- rhizosphera, root mucilages, 129–146
- root, mucilages, 129–146
- rubber, biosynthesis, 283–293
- sabinene, 207, 226
- salt glands, in grasses, 69–78
- scrublands, nectar production, 47–58
- scutellum, in barley, 377–395
- secretion,
 - bundle sheath, 265–282
 - leaf glands, 147–156
 - leaf hairs, 31–45
 - stigma, 187–204
 - xylem contact cells, 157–167
- seeds,
 - dormancy, O_2 effects, 17–23
 - production, 24–30
 - swelling, 7–16
- sinigrin, 352
- stigma, secretion, 187–204
- sucrose, 195
- sugars,
 - in leaf mucilage, 113–128
 - in nectar, 47–58
 - in stigma secretion, 187–204
- tannins, leaf glands, 147–156
- terpenes,
 - in *Labiatae*, 31–45
 - in *Salvia*, 234–252
- terpinene, 40, 249
- terpineol, 249
- thujone, 40
- thymol, 40
- thrychomes,
 - morphogenesis, 253–264
 - secretory, 31–46, 69–78, 147–156, 239–252, 295–330
- tridecanone, 207
- ultrastructure,
 - aleurone cells, 377–395

gland cells, 205–218, 219–238
gland hairs, 147–156, 295–330
mucilage cells, 167–186
myrosin cells, 351–376
nectaries, 80–90, 91–102
oil cells, 167–186
pitcher epithelium, 331–349
rubber cells, 283–293
salt glands, 69–78
stigma, 187–204
xylem contact cells, 157–167

undecanone, 207

vegetation, wall flora, 59–64

water,

excretion, gland hairs, 295–330

uptake, in seeds, 7–16

weeds, seed production, 24–30

xylem, contact cells, 157–167

xylose, in mucilage, 114–128